

Concourse

5 COLOURS | 2 FINISHES | 4 SIZES | 1 DECOR | 1 MOSAIC



S
O
LUS

Floor:
2GFK507

Concourse

A full-bodied porcelain range, Concourse is an interpretation of the various uses of concrete. Subtle ridges of relief, fractures of texture combine to create a dynamic and inspirational range that will delight the senses.



Floor:
2GFK506



Floor:
2GFK508
Wall:
2GFK508d004



Devereux
2GFK509



Medal
2GFK505



Satalite
2GFK507



Forum
2GFK506







Endeavour
2GFK508



Floor:
2GFK508

SIZES AND FINISHES

| | | | | |
|-------------|---|---|---|---|
| |  |  |  |  |
| | 300x600 10mm | 450x900 10mm | 600x600 10mm | 900x900 10mm |
| All colours | ♥ △ | ♥ | ♥ △ | ♥ |
| | | | ♥ Natural R10 | △ Natural R11 (A) |

DECORS



Decor A
250x300x10mm
Natural R10
Available in all colours

MOSAICS



Mosaic
300x300x10mm
Natural R10
Available in all colours

Concourse

APPEARANCE

Concrete

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION


V2 - Light

SPECIAL PIECES

More special piece available.
For more information contact our sales team.

BULLNOSE

95x600mm



GRADONE STEP

900x325mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

0.05%

4. FLEXURAL STRENGTH

50 N/mm²

6. DEEP ABRASION RESISTANCE

140mm³

8. LINEAR THERMAL EXPANSION

$\leq 7 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Available on request

14. STAIN RESISTANCE

Min. 3

SLIP RESISTANCE (DIN 51130-51097)

Natural R10
Natural R11 (A)

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.
© Solus Ceramics Limited 2024. 007a.



25%
Pre-consumer