

Diffusion

11 COLOURS | 4 FINISHES | 4 SIZES



S
O
L
U
S

Wall:
5VEL102

Diffusion

A typical metro wall tile range centred around a neutral palette of colours. Uniquely featuring an interesting inverted bevelled format, which sets the range apart from the crowd.



Wall:
5VEL101

Diffusion



Wall:
5VEL105
5VEL102




Chinae
5VEL102



Dawen
5VEL101




Parsonby
5VEL111




Eskdale
5VEL103



Hallbeck
5VEL110



Appleby
5VEL109




Dragley
5VEL104




Eamont
5VEL106



Hesket
5VEL107



Pooley
5VEL108



Sawrey
5VEL105



Wall:
5VEL107

SIZES AND FINISHES

	50x400 8.3mm	75x150 8.3mm	100x400 8.3mm	150x150 8.3mm
Chinae	◆ ●	◆ ▽ ● ⊘	◆ ●	◆ ●
Dawen	◆	◆ ▽	◆	◆
Parsonby		◆		◆
Eskdale	◆	◆ ▽	◆	◆
Hallbeck		◆		◆
Appleby		◆		◆
Dragley	◆	◆ ▽	◆	◆
Eamont		◆ ▽		◆
Hesket		◆ ▽		◆
Pooley		◆ ▽		◆
Sawrey	◆ ●	◆ ▽ ● ⊘	◆ ●	◆ ●

◆ Gloss ▽ Gloss InMetro ● Matt ⊘ Matt InMetro

INMETRO FINISHES



Gloss InMetro finish



Matt InMetro finish

NOTES

Eamont, Hesket, and Pooley colours are made with special glazes that tend to have a natural crackle effect and low resistance to acids, alkalis and aggressive cleaning products. Do not use aggressive cleaning products like bleach or ammonia. It's recommended to apply sealant before grouting for these three colours.

Diffusion

APPEARANCE

Mono Colour

MATERIAL

Ceramic

USAGE

Walls only

SHADE VARIATION

V1 - Uniform


SPECIAL PIECES

More special pieces available.

For more information contact our sales team.

BULLNOSE


75x150mm



LONDON

50x200mm

50x150mm



TORELLO


20x200mm

20x150mm



JOLLY


12x200mm



PENCIL BULLNOSE


30x200mm

30x150mm



SKIRTING

150x150mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

> 10%

4. FLEXURAL STRENGTH

No rating

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

No rating

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 006.