

Foundation

6 COLOURS | 2 FINISHES | 4 SIZES | 4 DECORS



S
O
L
U
S

Floor:
2AHA505

Foundation

Let design flourish with the unique Foundation range, a concrete inspired series of contemporary tiles that can be applied to walls and floors. Six neutral colours, three finishes and four sizes offer the versatility to create dramatic and modern spaces.



Floor:
2AHA510





Kosset
2AHA508



Zanzie
2AHA509



Dalaman
2AHA510




Chunk
2AHA505




Rossini
2AHA506




Synergy
2AHA507



Decor Mix 1
2AHA600d001
300x300x9mm
Natural R9



Decor Mix 2
2AHA600d002
300x300x9mm
Natural R9



Decor Mix 3
2AHA600d003
300x300x9mm
Natural R9





























Decor Mix 4
2AHA600d004
300x300x9mm
Natural R9



Floor:
2AHA507

SIZES AND FINISHES

	 300x600 9mm	 600x600 9mm	 600x1200 9mm	 800x800 9.5mm
 Chunk				
 Rossini				
 Synergy				
 Kosset				
 Zanzie				
 Dalaman	 			

 Natural R9  Walk R11 (A+B+C)

NOTES

To avoid lippage we recommend the use
of self-levelling spacers

Foundation

APPEARANCE
Concrete


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.


BATTISCOPA
55x600mm
55x800mm



GRADONE TOP
330x600x45x20mm



ANGOLARE TOP SX/DX
320x600x45x20mm



ELEMENTO L
165x600x50mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
≤ 0.5%

4. FLEXURAL STRENGTH
≥ 35 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
No rating

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms


14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130)**
Natural R9

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.
© Solus Ceramics Limited 2023. 0012a.

 40%
Pre-consumer