

# Sovereign

6 COLOURS | 3 FINISHES | 6 SIZES | 1 MOSAIC





# Sovereign

The delicate nuances of marble-effect Sovereign create a captivating arrangement on floors and walls. Available in a host of colours, finishes and styles including mosaics, the range is truly versatile.



Floor:  
3XGP104  
Wall:  
3XGP104



# Sovereign



ABOVE  
Floor:  
3XGP102



RIGHT  
Floor:  
3XGP102  
Wall:  
3XGP102





Queenship  
3XGP105



Baron  
3XGP106



Kingship  
3XGP104



Monarchy  
3XGP101



Aristocracy  
3XGP102



Nobility  
3XGP103




Floor:  
3XGP106

## SIZES AND FINISHES

	300x600 9mm	600x600 9mm	600x1200 9mm	800x1800 9mm	1200x1200 9mm	1200x2800 6mm
Queenship	♥■	♥■△	♥■△		♥■	♥■
Baron	♥■	♥■△	♥■△		♥■	♥■
Kingship	♥■	♥■△	♥■△		♥■	♥■
Monarchy	♥■	♥■△	♥■△	■	♥■	♥■
Aristocracy	♥■	♥■△	♥■△	■	♥■	♥■
Nobility	♥■	♥■△	♥■△	■	♥■	♥■

♥ Matt R10 (A)   ■ Polished   △ Anti Slip R11 (A+B+C)

## MOSAICS



Mosaic A

300x300x9mm

Natural R10 (A)  
Polished

Available in all  
colours

## APPEARANCE

Marble

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V4 - Heavy


## SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

### GRADINO C. RETTA

330x1200mm




### GRADINO C. RETTA DX AND SN

330x1200mm



### BATTISCALA DX AND SX

48x600mm



### BATTISCOPIA

48x1200mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.5\%$

### 4. FLEXURAL STRENGTH

35 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

175 mm<sup>3</sup>

### 8. LINEAR THERMAL EXPANSION

$6.7 \times 10^{-6} \text{ } ^\circ\text{C}$

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Conforms

### SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A)

Anti Slip R11 (A+B+C)

## MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.  
© Solus Ceramics Limited 2023. 005.