

Stoneware

5 COLOURS | 2 FINISHES | 3 SIZES | 1 MOSAIC



S
O
LUS

Floor:
2PBF104

Stoneware

A contemporary concrete effect porcelain range featuring delicate matt and glossy areas, as well as micro cavities and small speckles. Available in monolithic, ultra large format sizes.



Floor:
2PBF102



Floor:
2PBF102




Partheon
2PBF103



Angkor
2PBF102



Petra
2PBF101



Stonehenge
2PBF104











Tikal
2PBF105



Floor:
2PBF104

SIZES AND FINISHES

	 300x600 9mm	 600x600 9mm	 1200x1200 20mm
 Partheon	●	●	
 Angkor	●	●	
 Petra	●	●	▲
 Stonehenge	●	●	▲
 Tikal	●	●	




● Matt R10 (A) ▲ Grip R11 (A+B)

MOSAIC



Mosaic
300x300x9mm
Matt R10 (A)
Available in all colours

Stoneware

APPEARANCE Concrete	SPECIAL PIECES Available in all colours. * Produced on request. For more information contact our sales team.
MATERIAL Porcelain	
USAGE Floors and Walls	BULLNOSE 72x600mm
SHADE VARIATION V1 - Uniform	
	STEP TREAD * 330x1200mm
	
	STEP TREAD CORNER * 330x330mm
	

ISO 10545 RESULTS	
2. DIMENSIONS AND SURFACE QUALITY Conforms	10. MOISTURE EXPANSION Conforms
3. WATER ABSORPTION < 0.1%	12. FROST RESISTANCE Conforms
4. FLEXURAL STRENGTH Conforms	13. CHEMICAL RESISTANCE Conforms
6. DEEP ABRASION RESISTANCE < 145 mm³	14. STAIN RESISTANCE Conforms
8. LINEAR THERMAL EXPANSION 7x10 ⁻⁶ °C	SLIP RESISTANCE (DIN 51130-51097) Matt R10 (A) Grip R11 (A+B)
9. THERMAL SHOCK RESISTANCE Conforms	

MANUFACTURER CERTIFICATIONS:

Declare.

ecovadis



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.
© Solus Ceramics Limited 2023. 009a.