
Unearthed



Unearthed

Decorated with a multitude of tonal veins, the tiles in the Unearthed range offer a thrilling alternative to traditional natural effect materials.





Shamrock 3UDY001



Rusting 3UDY003




Spore 3UDY002



Grade 3UDY004

SIZES AND FINISHES



♥ Natural R10 ■ Lappato

NOTES

To avoid lippage we recommend the use of self-levelling spacers

Unearthed

APPEARANCE

Travertine

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BULLNOSE

60x300mm 75x600mm



L-SHAPED ELEMENT

302x604x50mm



L-SHAPED CORNER ELEMENT DX/SX

302x604x50mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

0.3%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

51.20 N/mm²

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

Conforms

14. STAIN RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

SLIP RESISTANCE (DIN 51130-51097)

Natural R10

9. THERMAL SHOCK RESISTANCE

No rating

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001 ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 004a.



> 20% Pre-consumer